

View Online at https://aerobasegroup.com/nsn/5910-01-019-8981

Body Style:
Rotary
Terminal Length:
0.360 inches
Body Diameter:
0.531 inches
Body Height:
0.344 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
-330.0 single section
Center To Center Distance Between Terminals Parallel To Diameter:
0.390 inches
Quality Factor At 25 Deg Celsius:
500.0
Terminal Thickness:
0.012 inches
Inclosure Type:
Encased
Adjustment Device Torque:
Between 2.000 inch-ounces and 8.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
10.0 gigohms
Mounting Facility Type And Quantity:
2 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 85.0 degrees celsius
Capacitance Range In Picofarads:
+5.0/+20.0 single section
Nonderated Voltage Rating And Type:
350.0 dc continuous single section
Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius:
-1.00/+3.50 single section and -2.50/-0.50 single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Capacitance Drift In Picofarads:
0.50 single section
Material:
Ceramic inclosure
Terminal Type And Quantity:
2 tab, solder lug
Shelf Life:
N/a



Unit Of Measure:

Demilitarization:

No

Fiig:

A096a0