NSN 5910-01-020-2451

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-020-2451 **Body Style:** Piston **Overall Length:** 0.779 inches **Terminal Length:** 0.157 inches **Shaft Diameter:** 0.118 inches single shaft **Shaft Length:** 0.250 inches single shaft **Body Length:** 0.553 inches **Overall Diameter:** 0.220 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -100.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -100.0/+100.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 0.394 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.197 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Fragility Factor:** Moderately rugged **Inclosure Type:** Encased **Adjustment Device Torque:** Between 0.700 inch-ounces and 5.700 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10000000.0 gigohms **Mounting Facility Type And Quantity:** 3 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Shaft Type: Round, slotted single shaft Capacitance Range In Picofarads:

Nonderated Voltage Rating And Type:

250.0 dc continuous single section

+1.0/+3.0 single section

NSN 5910-01-020-2451

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Adjustment Device Drive Type And Quantity:
1 shaft
Material:
Steel base
Terminal Type And Quantity:
3 printed circuit
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A096a0