

View Online at https://aerobasegroup.com/nsn/5910-01-023-2450

Body Style: Dual inlinedual inlinedual inline **Reliability Indicator:** Not establishednot establishednot established **Terminal Length:** 0.120 inches 0.120 inches 0.120 inches **Body Length:** Between 0.740 inches and 0.760 inches **Body Width:** Between 0.240 inches and 0.280 inches **Body Height:** 0.235 inches Center To Center Distance Between Terminals Parallel To Length: 0.600 inches Center To Center Distance Between Terminals Parallel To Width: Between 0.325 inches and 0.375 inches Schematic Diagram Designator: No common or grounded electrode (s) Section Quantity: 7 **Capacitance Value Per Section:** 1500.000 picofarads all sections Voltage Tempurature Limits Per Section In Percent Capacitance Change: -15.0/+15.0 without voltage applied all sections Nonderated Operating Temp: Between -55.0 degrees celsius and 70.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 100.0 dc all sections **Tolerance Range Per Section:** -20.00/+20.00 percent all sections **Case Material:** Plastic **Dissipation Factor At Reference Tempurature In Percent:** 4.0000 **Terminal Type And Quantity:** 14 printed circuit Shelf Life: N/a Unit Of Measure: **Demilitarization:**

No

NSN 5910-01-023-2450

Ceramic Dielectric Fixed Capacitor - Page 2 of 2

Fiig: A010b0

