

View Online at <https://aerobasegroup.com/nsn/5910-01-029-1560>

**Body Style:**

W/o mtg facilities, terminals on opposite surfacesw/o mtg facilities, terminals on opposite surfacesw/o mtg facilities, terminals on opposite surfaces

**Reliability Indicator:**

Not establishednot establishednot established

**Terminal Length:**

0.250 inches 0.250 inches

**Body Length:**

0.127 inches 0.127 inches

**Body Width:**

0.100 inches 0.100 inches

**Body Height:**

0.110 inches 0.110 inches

**Schematic Diagram Designator:**

No common or grounded electrode (s)no common or grounded electrode(s)

**Section Quantity:**

11

**Insulation Resistance At Maximum Operating Temp:**

100000.0 megohms100000.0 megohms

**Capacitance Value Per Section:**

24.000 picofarads single section24.000 picofarads single section

**Nonrated Operating Temp:**

Between -55.0 degrees celsius and -55.0 degrees celsius and 125.0 degrees celsius 125.0 degrees celsius

**Temperature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:**

90.0 single section90.0 single section

**Tolerance Of Temperature Coefficient Per Section In Ppm Per Deg Celsius:**

-20.0/+20.0 single section-20.0/+20.0 single section

**Tolerance Range Per Section:**

-5.00/+5.00 percent single section-5.00/+5.00 percent single section

**Case Material:**

Ceramicceramic

**Insulation Resistance At Reference Temp:**

100000.0 megohms100000.0 megohms

**Quality Factor At Reference Temp:**

3333.00003333.0000

**Precious Material And Location:**

Terminals silverterminals silver

**Terminal Type And Quantity:**

2 ribbon

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A010b0