

View Online at <https://aerobasegroup.com/nsn/5910-01-031-9871>

Body Style:

W/thd bushing mtg, terminals on opposite end

Reliability Indicator:

Not established

Width Across Flats:

5.0 millimeters

Terminal Length:

6.0 millimeters

Body Length:

7.0 millimeters

Terminal Diameter:

1.0 millimeters

Schematic Diagram Designator:

Feedthrough

Mounting Facility Screw Thread Series Designator:

Iso m

Mounting Facility Type And Quantity:

1 threaded bushing

Capacitance Value Per Section:

22.000 picofarads single section

Voltage Temperature Limits Per Section In Percent Capacitance Change:

-80.0/+30.0 without voltage applied single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Thread Size:

3.5 millimeters

Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

Tolerance Range Per Section:

-0.00/+100.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

10000.0 megohms

Dissipation Factor At Reference Temperature In Percent:

2.5000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0