

View Online at <https://aerobasegroup.com/nsn/5910-01-033-6073>

Body Style:

Rotary

Terminal Length:

0.250 inches

Overall Height:

0.175 inches

Overall Diameter:

0.218 inches

Center To Center Distance Between Terminals Parallel To Diameter:

0.195 inches

Quality Factor At 25 Deg Celsius:

500.0

Terminal Thickness:

0.008 inches

Inclosure Type:

Encased

Adjustment Device Torque:

Between 0.500 inch-ounces and 3.000 inch-ounces

Insulation Dc Resistance At 25 Deg Celsius:

10.0 gigohms

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Capacitance Range In Picofarads:

+5.0/+35.0 single section

Nonderated Voltage Rating And Type:

50.0 dc continuous single section

Capacitance Change In Percent At Operating Temperature From 25 Deg Celsius:

-4.50/+2.00 single section and -4.20/+3.40 single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Capacitance Drift In Picofarads:

0.50 single section

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A096a0