Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-034-1786

# Body Style:

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

**Terminal Length:** 

0.500 inches

Body Length:

0.550 inches

**Body Width:** 

0.300 inches

**Body Height:** 

0.180 inches

Center To Center Distance Between Terminals Parallel To Length:

0.400 inches

**Terminal Diameter:** 

0.025 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

### Insulation Resistance At Maximum Operating Temp:

50.0 megohm-microfarads

### **Capacitance Value Per Section:**

0.270 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

#### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

**Case Material:** 

Plastic

#### Insulation Resistance At Reference Temp:

25000.0 megohm-microfarads

## **Dissipation Factor At Reference Tempurature In Percent:**

0.3000

## **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---



Demilitarization:

No

Fiig:

A010b0