NSN 5910-01-036-1072

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-036-1072 **Body Style:** Rotary **Overall Height:** 0.310 inches **Overall Diameter:** 0.375 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type: Encased Adjustment Device Rotation:** 1.0 turns counterclockwise **Adjustment Device Torque:** Between 1.000 inch-ounces and 6.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +2.0/+8.0 single section **Nonderated Voltage Rating And Type:** 350.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: -4.50/+2.00 single section and -2.50/+0.50 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Capacitance Drift In Picofarads:** 0.50 single section **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure: Demilitarization:**

No

NSN 5910-01-036-1072

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0