NSN 5910-01-042-0074

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-042-0074 **Body Style:** Piston **Overall Length:** 0.500 inches **Bushing Diameter:** 0.220 inches **Bushing Length:** 0.125 inches **Body Length:** 0.297 inches **Overall Diameter:** 0.220 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -50.0/+50.0 single section **Center To Center Distance Between Terminals Parallel To Length:** 0.266 inches **Terminal Width:** Between 0.025 inches and 0.036 inches **Terminal Thickness:** Between 0.010 inches and 0.021 inches **Inclosure Type: Encased Terminal Location:** Adjustment control end perpendicular and end opposite adjustment control perpendicular **Tuning Characteristic:** Straight line capacity single section **Adjustment Device Torque:** Between 0.400 inch-ounces and 4.000 inch-ounces **Bushing Shape:**

Insulation Dc Resistance At 25 Deg Celsius:

100000.0 megohms

Mounting Facility Type And Quantity:

1 threaded bushing

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Capacitance Range In Picofarads:

+0.6/+6.0 single section

Nonderated Voltage Rating And Type:

250.0 dc continuous single section

NSN 5910-01-042-0074

Air Dielectric Variable Capacitor - Page 2 of 2



Adjustment Device Drive Type And Quantity:
1 slotted screw
Precious Material And Location:
Terminal surfaces gold
Precious Material:
Gold
Terminal Type And Quantity:
3 ribbon
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A096a0