Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-047-7883

### Body Style:

W/o mtg facilities terminal (s) on one surface

#### **Reliability Indicator:**

Not established

### Terminal Length:

1.000 inches

#### **Body Length:**

0.407 inches

#### **Body Width:**

0.275 inches

#### **Body Height:**

0.105 inches

#### Center To Center Distance Between Terminals Parallel To Length:

0.300 inches

#### **Terminal Diameter:**

0.025 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Internal Electrical Connection Type:

Extended foil

#### Capacitance Value Per Section:

4700.000 picofarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

#### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

# Insulation Resistance At Reference Temp:

100000.0 megohm-microfarads

# Dissipation Factor At Reference Tempurature In Percent:

1.0000

# **Terminal Surface Treatment:**

Solder

**Dielectric Material:** 

Plastic polyethylene terephthalate

### **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0