## NSN 5910-01-051-3505

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-051-3505 **Body Style:** Piston **Overall Length:** Between 0.548 inches and 0.578 inches **Terminal Length:** 0.500 inches **Body Length:** Between 0.406 inches and 0.436 inches **Overall Diameter:** 0.118 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 350.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -75.0/+75.0 single section **Quality Factor At 25 Deg Celsius:** 2000.0 **Fragility Factor:** Moderately rugged **Terminal Width:** 0.040 inches **Terminal Thickness:** 0.010 inches **Inclosure Type: Encased** Insulation Dc Resistance At 25 Deg Celsius: 100.0 gigohms **Insulation Dc Resistance At Max Operating Temp:** 10.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.8/+8.0 single section **Nonderated Voltage Rating And Type:** 500.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Capacitance Drift In Picofarads:** 0.01 single section

Material:

Ceramic capacitive electrode

## NSN 5910-01-051-3505

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Terminal Type A	and Quantity	<b>/</b> :
-----------------	--------------	------------

1 ferrule and 1 ribbon

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A096a0