NSN 5910-01-053-1425

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-053-1425 **Body Style:** W/o mtg facilities, terminal (s) on one surface Reliability Indicator: Not established **Terminal Length:** 1.625 inches **Body Length:** 0.290 inches **Body Width:** 0.320 inches **Body Height:** 0.090 inches **Center To Center Distance Between Terminals Parallel To Length:** Between 0.190 inches and 0.210 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **End Application:** Light weight transporable radio (Imrdfs) an/prd-2 **Capacitance Value Per Section:** 18.000 nanofarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 50.0 dc single section **Tolerance Range Per Section:** -5.00/+10.00 nanofarads single section Case Material: **Plastic Dissipation Factor At Reference Tempurature In Percent:** 0.3000 **Terminal Surface Treatment:** Solder **Test Data Document:** 98230-0n199287-16 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing) **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5910-01-053-1425

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0