Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-058-1395

Body Style:
Cylindrical
Overall Length:
0.562 inches
Overall Diameter:
0.281 inches
Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius:
0.0 single section
Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:
-50.0/+50.0 single section
Quality Factor At 25 Deg Celsius:
2000.0
Inclosure Type:
Encased
Tuning Characteristic:
Straight line capacity single section
Adjustment Device Torque:
Between 0.500 inch-ounces and 6.000 inch-ounces
Insulation Dc Resistance At 25 Deg Celsius:
1000.0 gigohms
Insulation Dc Resistance At Max Operating Temp:
100.0 gigohms
Mounting Facility Type And Quantity:
2 terminal
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Capacitance Range In Picofarads:
+1.5/+14.0 single section
Nonderated Voltage Rating And Type:
250.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Capacitance Drift In Picofarads:
0.02 single section
Precious Material And Location:
Terminals gold
Precious Material:
Gold
Terminal Type And Quantity:
1 pin and 1 wire lead
Shelf Life:
N/a

Air Dielectric Variable Capacitor - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A096a0