

View Online at https://aerobasegroup.com/nsn/5910-01-059-1109

Body S	Stude
-	-
Chip ty	
	ility Indicator:
	tablished
	Length:
0.080 i	
Body \	
0.050 i	
Body H	Height:
0.050 i	inches
Schem	natic Diagram Designator:
No con	nmon or grounded electrode (s)
Capac	itance Value Per Section:
43.000	picofarads single section
Nonde	erated Operating Temp:
Betwee	en -55.0 degrees celsius and 125.0 degrees celsius
Tempu	urature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0 sing	gle section
Nonde	erated Continuous Voltage Rating And Type Per Section:
50.0 do	c single section
Tolera	nce Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-30.0/+	-30.0 single section
Tolera	nce Range Per Section:
-2.00/+	-2.00 percent single section
Case M	Material:
Ceram	ic
Insulat	tion Resistance At Reference Temp:
100000	0.0 megohms
Dissip	ation Factor At Reference Tempurature In Percent:
0.1000	
Termir	nal Type And Quantity:
2 bond	ling pad
Shelf L	
N/a	
Unit O	f Measure:
Demili	tarization:
No	
Fiig:	
A010b	0