

View Online at https://aerobasegroup.com/nsn/5910-01-059-5423

# **Body Style:**

W/o mtg facilities terminal (s) on one surface

## **Reliability Indicator:**

Not established

# **Terminal Length:**

1.250 inches

# **Body Length:**

0.190 inches

### **Body Width:**

0.190 inches

## **Body Height:**

### 0.090 inches

# Center To Center Distance Between Terminals Parallel To Length:

0.200 inches

### **Terminal Diameter:**

0.025 inches

# Schematic Diagram Designator:

No common or grounded electrode (s)

# Capacitance Value Per Section:

39.000 picofarads single section

# Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-66.0/+22.0 without voltage applied single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

# Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

# **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

### **Case Material:**

Ceramic

### Insulation Resistance At Reference Temp:

100000.0 megohms

# **Dissipation Factor At Reference Tempurature In Percent:**

2.5000

### Test Data Document:

81349-mil-c-11015/18 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

2 uninsulated wire lead

## Shelf Life:

N/a

Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0