NSN 5910-01-062-4806

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-062-4806 **Body Style:** W/o mtg facilities, terminal (s) on one end Reliability Indicator: Not established **Terminal Length:** 0.062 inches **Body Diameter:** 1.453 inches **Body Length:** 3.750 inches **Center To Center Distance Between Terminals Parallel To Diameter:** 0.500 inches **Terminal Diameter:** 0.190 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Impedance At Minimum Operating Tempurature In Ohms:** 8.0 **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 5500.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 105.0 degrees celsius Dc Leakage At Maximum Operating Temp: 4200.0 microamperes Nonderated Continuous Voltage Rating And Type Per Section: 40.0 dc single section **Tolerance Range Per Section:** -10.00/+75.00 percent single section Case Material: Metal **Capacitive Electrode Material:** Aluminum **Equivalent Series Resistance At Reference Tempurature In Ohms:** Dc Leakage At Reference Temp: 704.000 microamperes **Case Insulation Material: Plastic**

Terminal Type And Quantity: 2 threaded hole

NSN 5910-01-062-4806

Electrolytic Fixed Capacitor - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A010b0