## NSN 5910-01-065-6335

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-065-6335					
Body Style:					
W/o mtg facilities terminal (s) on one surface					
Reliability Indicator:					
Not established					
Terminal Length:					
1.250 inches					
Body Length:					
0.200 inches					
Body Width:					
0.200 inches					
Body Height:					
0.100 inches					
Center To Center Distance Between Terminals Parallel To Length:					
0.100 inches					
Terminal Diameter:					
0.020 inches					
Schematic Diagram Designator:					
No common or grounded electrode (s)					
Capacitance Value Per Section:					
250.000 picofarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 125.0 degrees celsius					
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:					
0.0 single section					
Nonderated Continuous Voltage Rating And Type Per Section:					
100.0 dc single section					
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:					
-30.0/+30.0 single section					
Tolerance Range Per Section:					
-2.00/+2.00 percent single section					
Case Material:					
Plastic					
Insulation Resistance At Reference Temp:					
2500.0 megohm-microfarads					
Power Factor At Reference Tempurature In Percent:					
2.0000					
Quality Factor At Reference Temp:					
1000.0000					
Terminal Surface Treatment:					
Coldor					

**Terminal Type And Quantity:** 2 uninsulated wire lead

## NSN 5910-01-065-6335

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



		fe:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A010b0