NSN 5910-01-065-8436

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-065-8436 **Body Style:** Rotary **Body Diameter:** 0.394 inches **Body Height:** 0.177 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -330.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -650.0/+650.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.300 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type: Encased Adjustment Device Torque:** Between 1.000 inch-ounces and 6.500 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 1000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -30.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +5.0/+13.0 single section **Nonderated Voltage Rating And Type:** 350.0 dc continuous single section Capacitance Change In Percent At Operating Tempurature From 25 Deg Celsius: -0.70/+2.50 single section and -4.20/-0.80 single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Precious Material And Location:** All metal surfaces silver **Precious Material:** Silver **Terminal Type And Quantity:** 2 printed circuit Shelf Life: N/a **Unit Of Measure:**

--

NSN 5910-01-065-8436

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A096a0