NSN 5910-01-066-3022

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-066-3022

Body Style:	
W/o mtg facilities, terminals on opposite surfaces	
Reliability Indicator:	
Not established	
Terminal Length:	
1.250 inches	
Body Length:	
0.400 inches	
Body Width:	
0.150 inches	
Body Height:	
0.400 inches	
Terminal Diameter:	
0.025 inches	
Schematic Diagram Designator:	
No common or grounded electrode (s)	
Capacitance Value Per Section:	
1000.000 picofarads single section	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 125.0 degrees celsius	
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:	
0.0 single section	
Nonderated Continuous Voltage Rating And Type Per Section:	
500.0 dc single section	
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:	
-20.0/+20.0 single section	
Tolerance Range Per Section:	
-1.00/+1.00 percent single section	
Case Material:	
Plastic	
Insulation Resistance At Reference Temp:	
1000.0 megohm-microfarads	
Dissipation Factor At Reference Tempurature In Percent:	
0.0010	
Power Factor At Reference Tempurature In Percent:	
0.1000	
Test Data Document:	
26055-821-032-000 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer draw	/ing

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

NSN 5910-01-066-3022

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A010b0