## NSN 5910-01-069-9281

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-069-9281

**Body Style:** 

W/o mtg facilities, radial terminals

**Reliability Indicator:** 

Not established

**Terminal Length:** 

Between 1.250 inches and 1.750 inches

**Body Diameter:** 

Between 0.250 inches and 0.400 inches

**Body Length:** 

Between 0.080 inches and 0.180 inches

**Center To Center Distance Between Terminals Parallel To Diameter:** 

0.250 inches

**Terminal Diameter:** 

Between 0.030 inches and 0.034 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Capacitance Value Per Section:** 

22.000 picofarads single section

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 85.0 degrees celsius

Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-150.0 single section

Nonderated Continuous Voltage Rating And Type Per Section:

2000.0 dc single section

**Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:** 

-30.0/+30.0 single section

**Tolerance Range Per Section:** 

-10.00/+10.00 percent single section

Case Material:

Plastic

Insulation Resistance At Reference Temp:

50000.0 megohms

**Terminal Surface Treatment:** 

Solder

**Terminal Type And Quantity:** 

2 uninsulated wire lead

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

## NSN 5910-01-069-9281

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Fiig:

A010b0