

View Online at https://aerobasegroup.com/nsn/5910-01-077-9735

## Body Style:

W/o mtg facilities terminal (s) on one surface

### **Reliability Indicator:**

Not established

# **Terminal Length:**

1.250 inches

### **Body Length:**

0.190 inches

#### **Body Width:**

0.190 inches

#### **Body Height:**

0.090 inches

## Center To Center Distance Between Terminals Parallel To Length:

0.200 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

820.000 picofarads single section

## Voltage Tempurature Limits Per Section In Percent Capacitance Change:

-66.0/+22.0 with rated voltage applied single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 150.0 degrees celsius

## Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohms

#### **Power Factor At Reference Tempurature In Percent:**

2.5000

# Test Data Document:

83298-1585219 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

# Terminal Type And Quantity:

2 uninsulated wire lead

# Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

No

# NSN 5910-01-077-9735 Ceramic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

