

View Online at https://aerobasegroup.com/nsn/5910-01-078-4481

## **Body Style:**

W/o mtg facilities, radial terminals

#### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.000 inches

#### **Body Diameter:**

0.225 inches

#### **Body Length:**

0.125 inches

#### Center To Center Distance Between Terminals Parallel To Diameter:

0.200 inches

#### **Terminal Diameter:**

0.025 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

6.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-150.0 single section

## Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-60.0/+60.0 single section

## **Tolerance Range Per Section:**

-0.50/+0.50 picofarads single section

#### **Case Material:**

Plastic

#### Insulation Resistance At Reference Temp:

10000.0 megohms

## Power Factor At Reference Tempurature In Percent:

2.0000

## **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

## Unit Of Measure:

--

## Demilitarization:

No

# NSN 5910-01-078-4481 Ceramic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

