NSN 5910-01-083-2322

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-083-2322 **Body Style:** Pellet type, w/mtg pins **Reliability Indicator:** Not established **Terminal Length:** 0.312 inches **Body Diameter:** 0.853 inches **Body Length:** 0.320 inches **Terminal Diameter:** 0.020 inches **Schematic Diagram Designator:** Electrod (s) grounded to case **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 56.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 100.0 dc single section **Tolerance Range Per Section:** -20.00/+20.00 percent single section **Case Material:** Metal **Capacitive Electrode Material: Dissipation Factor At Reference Tempurature In Percent:** 8.4000 Dc Leakage At Reference Temp: 2.000 microamperes **Test Data Document:** 81349-mil-c-83500/1 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 1 pin Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 5910-01-083-2322

Electrolytic Fixed Capacitor - Page 2 of 2



Fiig:

A010b0