NSN 5910-01-085-9004

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-085-9004

g
Body Style:
W/o mtg facilities, terminals on opposite surfaces
Reliability Indicator:
Not established
Terminal Length:
2.000 inches
Body Length:
0.950 inches
Body Width:
0.320 inches
Body Height:
0.410 inches
Terminal Diameter:
0.025 inches
Schematic Diagram Designator:
No common or grounded electrode (s)
Internal Electrical Connection Type:
Extended foil
Insulation Resistance At Maximum Operating Temp:
5000.0 megohm-microfarads
Capacitance Value Per Section:
0.220 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 105.0 degrees celsius
Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:
0.0 single section
Nonderated Continuous Voltage Rating And Type Per Section:
135.0 ac-rms single section
Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:
-3.0/+2.0 single section
Tolerance Range Per Section:
-5.00/+5.00 percent single section
Case Material:
Plastic
Insulation Resistance At Reference Temp:
250000.0 megohm-microfarads
Dissipation Factor At Reference Tempurature In Percent:
0.1000
Dielectric Material:
Plastic polyethylene terephthalate

2 uninsulated wire lead

Terminal Type And Quantity:

NSN 5910-01-085-9004

Plastic Dielectric Fixed Capacitor - Page 2 of 2



_				
c	hο	.1+		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0