

View Online at https://aerobasegroup.com/nsn/5910-01-087-6272

Body Style:	
Rotary	
Terminal Length:	
0.150 inches	
Body Diameter:	
0.196 inches	
Body Height:	
0.080 inches	
Center To Center Distance Between Terminals Parallel To Diameter:	
0.200 inches	
Quality Factor At 25 Deg Celsius:	
500.0	
Inclosure Type: Encased	
Adjustment Device Torque: Between 0.300 inch-ounces and 2.000 inch-ounces	
Insulation Dc Resistance At 25 Deg Celsius:	
10.0 gigohms	
Mounting Facility Type And Quantity:	
2 terminal	
Nonderated Operating Temp:	
Between -55.0 degrees celsius and 85.0 degrees celsius	
Capacitance Range In Picofarads:	
+2.0/+10.0 single section	
Nonderated Voltage Rating And Type:	
100.0 dc continuous single section	
Capacitance Change In Percent At Operating Tempurature From 25 Deg	Celsius:
-2.10/+4.20 single section and -3.80/+1.10 single section	
Adjustment Device Drive Type And Quantity:	
1 slotted screw	
Capacitance Drift In Picofarads:	
0.50 single section	
Terminal Type And Quantity:	
2 wire lead	
Shelf Life:	
N/a	
Unit Of Measure:	
-	
Demilitarization:	
No	
Fiig:	
A096a0	