NSN 5910-01-090-3068

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-090-3068 **Body Style:** W/o mtg facilities, axial terminals **Reliability Indicator:** Not established **Terminal Length:** 1.625 inches **Body Diameter:** 0.515 inches **Body Length:** 1.124 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Features Provided:** Hermetically sealed case **Insulation Resistance At Maximum Operating Temp:** 2000.0 megohm-microfarads **Capacitance Value Per Section:** 0.220 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 105.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 300.0 dc single section **Criticality Code Justification:** Feat **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Metal Insulation Resistance At Reference Temp: 50000.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 0.3000 **Case Insulation Material:** Plastic **Special Features:** Item must comply with requirements of defense electronics supply center production standard no. L02854; for navy nuclear propulsion plant products only **Terminal Type And Quantity:** 2 uninsulated wire lead Shelf Life:

--

N/a

Unit Of Measure:

NSN 5910-01-090-3068

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



_		••	• •				
וו	em	ш	112	rız	211	n	٠.

No

Fiig:

A010b0