Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-092-1580

# **Body Style:**

W/o mtg facilities, axial terminals

**Reliability Indicator:** 

Not established

Terminal Length:

1.060 inches

## **Body Diameter:**

0.244 inches

**Body Length:** 

0.453 inches

**Terminal Diameter:** 

0.024 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

#### **Capacitance Value Per Section:**

1960.000 picofarads single section

## Nonderated Operating Temp:

Between -25.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-200.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

160.0 dc single section

# Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-100.0/+100.0 single section

#### **Tolerance Range Per Section:**

-2.50/+2.50 percent single section

#### **Case Material:**

Plastic

Insulation Resistance At Reference Temp:

100000.0 megohms

#### **Dissipation Factor At Reference Tempurature In Percent:**

0.0500

# **Terminal Surface Treatment:**

Solder

# **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

# Demilitarization:

No

# NSN 5910-01-092-1580

Plastic Dielectric Fixed Capacitor - Page 2 of 2

**Fiig:** A010b0

