NSN 5910-01-093-5307

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-093-5307 **Body Style:** Irregular **Terminal Length:** 0.250 inches **Overall Height:** 0.156 inches **Overall Width:** 0.219 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 250.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -250.0/+250.0 single section **Terminal Diameter:** 0.023 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type: Encased Adjustment Device Torque:** Between 1.000 inch-ounces and 5.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 10.0 gigohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +3.5/+20.0 single section **Nonderated Voltage Rating And Type:** 50.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Capacitance Drift In Picofarads:** 0.50 single section **Precious Material And Location:** Terminal surfaces gold **Precious Material:** Gold **Terminal Type And Quantity:** 2 wire lead Shelf Life:

N/a

NSN 5910-01-093-5307

Ceramic Dielectric Variable Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A096a0