NSN 5910-01-097-6692

Air Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-097-6692 **Thread Class:** 2a **Body Style:** Piston **Overall Length:** 0.570 inches **Bushing Diameter:** 0.234 inches **Overall Height:** 0.430 inches **Overall Width:** 0.281 inches **Bushing Length:** 0.160 inches **Body Length:** 0.477 inches **Overall Diameter:** 0.290 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: 0.0 single section **Tolerance Of Tempurature Coefficient In Ppm Per Deg Celsius:** -20.0/+20.0 single section **Quality Factor At 25 Deg Celsius:** 2000.0 **Mounting Facility Screw Thread Series Designator:** Uns **Inclosure Type:** Encased **Tuning Characteristic:** Straight line capacity single section **Adjustment Device Torque:** Between 1.000 inch-ounces and 5.000 inch-ounces **Bushing Shape:** Round Insulation Dc Resistance At 25 Deg Celsius: 1000.0 gigohms **Mounting Facility Type And Quantity:** 1 threaded bushing

64

Nonderated Operating Temp:

Thready Qty Per Inch (tpi):

Between -65.0 degrees celsius and 125.0 degrees celsius

NSN 5910-01-097-6692

Air Dielectric Variable Capacitor - Page 2 of 2



Thread Size:
0.078 inches
Capacitance Range In Picofarads:
+1.5/+14.0 single section
Nonderated Voltage Rating And Type:
250.0 dc continuous single section
Adjustment Device Drive Type And Quantity:
1 slotted screw
Terminal Type And Quantity:
1 pin
Shelf Life:
Shelf Life: N/a
N/a
N/a

Fiig: A096a0