## NSN 5910-01-099-3644

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-099-3644

Body	Style:
------	--------

W/mtg tabs/flanges terminals on opposite surfaces

**Reliability Indicator:** 

Not established

**Terminal Length:** 

Between 0.600 inches and 0.660 inches

**Body Length:** 

3.060 inches

**Body Width:** 

2.500 inches

**Body Height:** 

1.500 inches

**Center To Center Distance Between Terminals Parallel To Width:** 

1.250 inches

**Terminal Diameter:** 

0.190 inches

**Unthreaded Mounting Hole Diameter:** 

Between 0.170 inches and 0.176 inches

Distance Between Centerlines Of Mounting Facilities Parallel To Body Length:

Between 3.610 inches and 3.640 inches

**Schematic Diagram Designator:** 

No common or grounded electrode (s)

**Internal Electrical Connection Type:** 

Extended foil

**Mounting Facility Type And Quantity:** 

4 unthreaded mounting holes

Section Quantity:

2

**Features Provided:** 

Hermetically sealed case

**Capacitance Value Per Section:** 

1.900 microfarads all sections

**Nonderated Operating Temp:** 

Between -55.0 degrees celsius and 85.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

265.0 ac-rms all sections and 200.0 dc all sections

**Tolerance Range Per Section:** 

-20.00/+20.00 percent 2nd section

**Case Material:** 

Metal

**Insulation Resistance At Reference Temp:** 

100000.0 megohm-microfarads

## NSN 5910-01-099-3644

Plastic Dielectric Fixed Capacitor - Page 2 of 2



<b>Terminal Surface Treatment:</b>
Solder
Dielectric Material:
Plastic polypropylene
<b>Terminal Type And Quantity:</b>
4 threaded stud
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:

A010b0