NSN 5910-01-100-5736

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-100-5736 **Body Style:** W/o mtg facilities terminal (s) on one surface Reliability Indicator: Not established **Terminal Length:** 0.500 inches **Body Length:** 0.600 inches **Body Width:** 0.375 inches **Body Height:** 0.195 inches Center To Center Distance Between Terminals Parallel To Length: 0.200 inches **Terminal Diameter:** 0.025 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Anode Type:** Solid **Electrical Polarization:** Polarized **Capacitance Value Per Section:** 180.000 microfarads single section **Nonderated Operating Temp:** 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 6.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section Case Material: **Plastic Capacitive Electrode Material: Tantalum Dissipation Factor At Reference Tempurature In Percent:** 6.000 Dc Leakage At Reference Temp: 3.000 microamperes

Terminal Surface Treatment: Solder **Terminal Type And Quantity:** 2 uninsulated wire lead

NSN 5910-01-100-5736

Electrolytic Fixed Capacitor - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0