Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-104-3913

#### **Body Style:**

W/o mtg facilities, axial terminals

#### **Reliability Indicator:**

Not established

### **Terminal Length:**

2.250 inches

#### **Body Diameter:**

0.312 inches

#### **Body Length:**

0.704 inches

#### **Terminal Diameter:**

0.025 inches

#### Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

#### Anode Type:

Solid

#### Impedance At Minimum Operating Tempurature In Ohms:

100.0

#### **Electrical Polarization:**

Polarized

# Features Provided:

Hermetically sealed case

#### Capacitance Value Per Section:

68.000 microfarads single section

#### Nonderated Operating Temp:

Between -55.0 degrees celsius and 175.0 degrees celsius

#### Dc Leakage At Maximum Operating Temp:

9.0 microamperes

#### Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

#### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Tantalum

#### Equivalent Series Resistance At Reference Tempurature In Ohms:

4.00

## Dc Leakage At Reference Temp:

2.000 microamperes

# **Terminal Surface Treatment:**

Solder

# NSN 5910-01-104-3913

Electrolytic Fixed Capacitor - Page 2 of 2



**Case Insulation Material:** 

Plastic

# Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

# Unit Of Measure:

---

# Demilitarization:

No

Fiig:

A010b0