## NSN 5910-01-104-7334

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-104-7334

Body Style:				
W/o mtg facilities terminal (s) on one surface				
Reliability Indicator:				
Not established				
Terminal Length:				
1.000 inches				
Body Length:				
0.580 inches				
Body Width:				
0.610 inches				
Body Height:				
0.460 inches				
Center To Center Distance Between Terminals Parallel To Length:				
0.605 inches				
Terminal Diameter:				
0.032 inches				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Insulation Resistance At Maximum Operating Temp:				
3000.0 megohm-microfarads				
Capacitance Value Per Section:				
0.220 microfarads single section				
Nonderated Operating Temp:				
Between -55.0 degrees celsius and 85.0 degrees celsius				
Nonderated Continuous Voltage Rating And Type Per Section:				
200.0 dc single section				
Tolerance Range Per Section:				
-5.00/+5.00 percent single section				
Case Material:				
Plastic				
Insulation Resistance At Reference Temp:				
50000.0 megohm-microfarads				
Dissipation Factor At Reference Tempurature In Percent:				
0.7500				
Terminal Surface Treatment:				
Solder				
Terminal Type And Quantity:				
2 uninsulated wire lead				
Shelf Life:				
N/a				
Unit Of Measure:				

\_.

## NSN 5910-01-104-7334

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 2 of 2



	tariz	

No

Fiig:

A010b0