

View Online at https://aerobasegroup.com/nsn/5910-01-105-8865

### **Body Style:**

W/o mtg facilities terminal (s) on one surface

#### **Reliability Indicator:**

Not established

## **Terminal Length:**

1.250 inches

### **Body Length:**

0.190 inches

#### **Body Width:**

0.190 inches

#### **Body Height:**

#### 0.090 inches

### Center To Center Distance Between Terminals Parallel To Length:

0.200 inches

#### **Terminal Diameter:**

Between 0.020 inches and 0.027 inches

### Schematic Diagram Designator:

No common or grounded electrode (s)

## Capacitance Value Per Section:

33.000 picofarads single section

## Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

### Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

0.0 single section

### Nonderated Continuous Voltage Rating And Type Per Section:

200.0 dc single section

### Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

#### **Tolerance Range Per Section:**

-5.00/+5.00 percent single section

#### **Case Material:**

Plastic

# Insulation Resistance At Reference Temp:

100000.0 megohms

# Test Data Document:

81349-mil-c-20/35 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Terminal Type And Quantity:**

2 uninsulated wire lead

## Shelf Life:

N/a

# Unit Of Measure:



Demilitarization:

No

Fiig:

A010b0