NSN 5910-01-109-8921

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-109-8921

view Online at https://aerobasegroup.com/nsn/5910-01-109-6921				
Body Style:				
W/o mtg facilities, terminal (s) on one end				
Reliability Indicator:				
Not established				
Terminal Length:				
0.750 inches				
Body Diameter:				
0.400 inches				
Body Length:				
0.560 inches				
Center To Center Distance Between Terminals Parallel To Diameter:				
0.200 inches				
Terminal Diameter:				
0.025 inches				
Schematic Diagram Designator:				
No common or grounded electrode (s)				
Anode Type:				
Solid				
Impedance At Minimum Operating Tempurature In Ohms:				
0.4				
Electrical Polarization:				
Polarized				
Capacitance Value Per Section:				
100.000 microfarads single section				
Nonderated Operating Temp:				
Between -55.0 degrees celsius and 85.0 degrees celsius				
Nonderated Continuous Voltage Rating And Type Per Section:				
10.0 dc single section				
Tolerance Range Per Section:				
-10.00/+10.00 percent single section				
Case Material:				
Plastic				
Capacitive Electrode Material:				
Tantalum				
Dissipation Factor At Reference Tempurature In Percent:				
10.0000				
Dc Leakage At Reference Temp:				
15.000 microamperes				
Terminal Surface Treatment:				
Solder				
Terminal Type And Quantity:				

2 uninsulated wire lead

NSN 5910-01-109-8921

Electrolytic Fixed Capacitor - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0