NSN 5910-01-111-2596

Glass Dielectric Variable Capacitor - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/5910-01-111-2596



Body Style: Piston **Overall Length:** 0.312 inches **Terminal Length:** 0.500 inches **Body Length:** 0.766 inches **Overall Diameter:** 0.312 inches Tempurature Coefficient Of Capacitance Range In Ppm Per Deg Celsius: -100.0/+100.0 single section Center To Center Distance Between Terminals Parallel To Length: 0.181 inches **Terminal Diameter:** 0.020 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Inclosure Type: Encased Terminal Location:** Adjustment control end perpendicular and end opposite adjustment control perpendicular **Adjustment Device Torque:** Between 1.000 inch-ounces and 10.000 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 1000000.0 megohms **Insulation Dc Resistance At Max Operating Temp:** 100000.0 megohms **Mounting Facility Type And Quantity:** 2 terminal **Nonderated Operating Temp:** Between -55.0 degrees celsius and 125.0 degrees celsius Capacitance Range In Picofarads: +0.8/+12.0 single section **Nonderated Voltage Rating And Type:** 750.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw **Terminal Type And Quantity:**

N/a

2 printed circuit Shelf Life:

NSN 5910-01-111-2596

Glass Dielectric Variable Capacitor - Page 2 of 2



ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A096a0