NSN 5910-01-111-9433

Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-111-9433 **Body Style:** W/o mtg facilities, terminal (s) on one surface **Reliability Indicator:** Not established **Body Length:** 8.000 inches **Body Width:** 4.000 inches **Body Height:** 9.250 inches **Center To Center Distance Between Terminals Parallel To Length:** 4.500 inches **Terminal Diameter:** 0.500 inches **Terminal Height From Body:** 4.250 inches **Schematic Diagram Designator:** No common or grounded electrode (s) **Internal Electrical Connection Type:** Extended foil **Insulation Resistance At Maximum Operating Temp:** 500.0 megohm-microfarads **Capacitance Value Per Section:** 2.000 microfarads single section **Nonderated Operating Temp:** Between -55.0 degrees celsius and 85.0 degrees celsius Nonderated Continuous Voltage Rating And Type Per Section: 15000.0 dc single section **Tolerance Range Per Section:** -10.00/+10.00 percent single section **Case Material:** Metal **Insulation Resistance At Reference Temp:** 20000.0 megohm-microfarads **Dissipation Factor At Reference Tempurature In Percent:** 0.500 **Terminal Surface Treatment:** Solder **Dielectric Material:** Paper and plastic polyester

Special Features:W/o polychlorinated biphenyls

NSN 5910-01-111-9433

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Terminal	Type And	Quantity:
----------	----------	-----------

2 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0