

View Online at <https://aerobasegroup.com/nsn/5910-01-112-5394>

Body Style:

W/o mtg facilities, terminal (s) on one end

Reliability Indicator:

Not established

Terminal Length:

0.250 inches

Body Diameter:

1.032 inches

Body Length:

2.650 inches

Terminal Diameter:

0.040 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

Impedance At Minimum Operating Temperature In Ohms:

0.048

Electrical Polarization:

Polarized

End Application:

Aircraft hawkeye e-2c, intruder a-2c, tomcat f-14, viking s-3b, helicopters mh-53e, uscg search and rescue hh-60j, hh-60h, carrier based asw sh-60f, mh--53e, hrlicopter advance attack ah-1w

Capacitance Value Per Section:

900.000 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 105.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

25.0 dc single section

Tolerance Range Per Section:

-10.00/+75.00 percent single section

Case Material:

Metal

Capacitive Electrode Material:

Aluminum

Terminal Surface Treatment:

Solder

Case Insulation Material:

Plastic

Terminal Type And Quantity:

3 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A010b0