

View Online at <https://aerobasegroup.com/nsn/5910-01-112-6228>

Body Style:

Rotary

Body Diameter:

0.218 inches

Body Height:

0.145 inches

Temperature Coefficient Of Capacitance In Ppm Per Deg Celsius:

0.0 single section

Tolerance Of Temperature Coefficient In Ppm Per Deg Celsius:

-250.0/+250.0 single section

Center To Center Distance Between Terminals Parallel To Diameter:

0.195 inches

End Application:

Los angeles class ss (688), aircraft c-2a(reprocured), helicopter mh-53e, radar series an/sps-49(v), landing craft air cushion(lcac) , helicopter search and rescue hh-60h, helicopter carrier based asm sh-60f, helicopter uscg search and rescue hh-60j, helicopter advanced attack ah-1w

Inclosure Type:

Encased

Mounting Facility Type And Quantity:

2 terminal

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Criticality Code Justification:

Feat

Capacitance Range In Picofarads:

+5.0/+30.0 single section

Nonderated Voltage Rating And Type:

50.0 dc continuous single section

Adjustment Device Drive Type And Quantity:

1 slotted screw

Special Features:

Weapons system essential

Terminal Type And Quantity:

2 tab, solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A096a0