

View Online at <https://aerobasegroup.com/nsn/5910-01-116-5080>

Body Style:

W/o mtg facilities, axial terminals

Reliability Indicator:

Not established

Body Diameter:

Between 0.190 inches and 0.200 inches

Body Length:

Between 0.220 inches and 0.240 inches

Terminal Diameter:

0.140 inches

Unthreaded Mounting Hole Diameter:

0.140 inches

Schematic Diagram Designator:

Feedthrough

Mounting Facility Type And Quantity:

2 unthreaded mounting holes

Capacitance Value Per Section:

40.000 picofarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Temperature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-1500.0 single section

Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

Tolerance Of Temperature Coefficient Per Section In Ppm Per Deg Celsius:

-1000.0/+250.0 single section

Tolerance Range Per Section:

-10.00/+10.00 percent single section

Case Material:

Metal

Quality Factor At Reference Temp:

500.000

Terminal Surface Treatment:

Solder

Terminal Type And Quantity:

2 unthreaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A010b0