NSN 5910-01-116-7375

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5910-01-116-7375 |
|--|
| Body Style: |
| W/o mtg facilities, terminals on opposite surfaces |
| Reliability Indicator: |
| Not established |
| Terminal Length: |
| 0.750 inches |
| Body Length: |
| 0.600 inches |
| Body Width: |
| 0.172 inches |
| Body Height: |
| 0.531 inches |
| Schematic Diagram Designator: |
| No common or grounded electrode (s) |
| Features Provided: |
| Hermetically sealed case |
| Capacitance Value Per Section: |
| 6.000 picofarads single section |
| Nonderated Operating Temp: |
| Between -55.0 degrees celsius and 125.0 degrees celsius |
| Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius: |
| 95.0 single section |
| Nonderated Continuous Voltage Rating And Type Per Section: |
| 2500.0 dc single section |
| Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius: |
| -25.0/+25.0 single section |
| Tolerance Range Per Section: |
| -5.00/+5.00 percent single section |
| Case Material: |
| Glass |
| Insulation Resistance At Reference Temp: |
| 10000.0 megohms |
| Dissipation Factor At Reference Tempurature In Percent: |
| 0.1000 |
| Precious Material And Location: |
| Terminals silver |
| Terminal Type And Quantity: |
| 2 ribbon |
| Shelf Life: |
| N/a |

--

Unit Of Measure:

NSN 5910-01-116-7375

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0