## NSN 5910-01-127-9196

Paper-plastic Dielectric Metallized Fixed Capacitor - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5910-01-127-9196

| Body Style:   |
|---|
| W/o mtg facilities, axial terminals   |
| Reliability Indicator:  |
| Not established   |
| Terminal Length:  |
| 1.658 inches  |
| Body Diameter:  |
| 0.241 inches  |
| Body Length:  |
| 0.755 inches  |
| Terminal Diameter:  |
| 0.024 inches  |
| Schematic Diagram Designator:   |
| No common or grounded electrode (s)   |
| Capacitance Value Per Section:  |
| 0.100 microfarads single section  |
| Nonderated Operating Temp:  |
| Between -55.0 degrees celsius and 125.0 degrees celsius   |
| Nonderated Continuous Voltage Rating And Type Per Section:  |
| 400.0 dc single section   |
| Tolerance Range Per Section:  |
| -10.00/+10.00 percent single section  |
| -10.00/+10.00 percent single section  |
| Case Material:  |
|   |
| Case Material:  |
| Case Material: Plastic  |
| Case Material: Plastic Terminal Surface Treatment:  |
| Case Material: Plastic Terminal Surface Treatment: Solder   |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material:  |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate   |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate  Terminal Type And Quantity:  |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate  Terminal Type And Quantity: 2 uninsulated wire lead                                    |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life:                       |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life: N/a                   |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life: N/a                   |
| Case Material: Plastic  Terminal Surface Treatment: Solder  Dielectric Material: Plastic polyester and plastic polyethylene terephthalate  Terminal Type And Quantity: 2 uninsulated wire lead  Shelf Life: N/a  Unit Of Measure: |

A010b0