NSN 5910-01-132-1399

Ceramic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-132-1399

Body Style:
W/thd bushing mtg, terminals on opposite end
Reliability Indicator:
Not established
Width Across Flats:
0.218 inches
Terminal Length:
0.188 inches
Body Length:
0.499 inches
Continuous Current Rating In Amps:
10.0
Terminal Diameter:
0.040 inches
Schematic Diagram Designator:
Feedthrough
Mounting Facility Screw Thread Series Designator:
Unf
Mounting Facility Type And Quantity:
1 threaded bushing
Insulation Resistance At Maximum Operating Temp:
70.0 megohms
Capacitance Value Per Section:
1.000 microfarads single section
Nonderated Operating Temp:
Between -55.0 degrees celsius and 125.0 degrees celsius
Thread Size:
0.190 inches
Nonderated Continuous Voltage Rating And Type Per Section:
60.0 dc single section
Tolerance Range Per Section:
-20.00/+20.00 percent single section
Case Material:
Metal
Insulation Resistance At Reference Temp:
700.0 megohms
Dissipation Factor At Reference Tempurature In Percent:
4.0000
Terminal Surface Treatment:
Coldor

Terminal Type And Quantity: 2 uninsulated wire lead

NSN 5910-01-132-1399

Ceramic Dielectric Fixed Capacitor - Page 2 of 2



Shelf Life:	She	lf	Life:
-------------	-----	----	-------

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0