NSN 5910-01-132-3121

Ceramic Dielectric Variable Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-132-3121 **Body Style:** Rotary **Terminal Length:** Between 0.139 inches and 0.169 inches **Overall Height:** 0.330 inches **Overall Diameter:** 0.394 inches Tempurature Coefficient Of Capacitance In Ppm Per Deg Celsius: -750.0 single section **Center To Center Distance Between Terminals Parallel To Diameter:** 0.378 inches **Quality Factor At 25 Deg Celsius:** 500.0 **Terminal Width:** 0.049 inches **Inclosure Type: Encased Adjustment Device Torque:** Between 2.170 inch-ounces and 6.210 inch-ounces Insulation Dc Resistance At 25 Deg Celsius: 100.0 gigohms **Mounting Facility Type And Quantity:** 3 terminal **Nonderated Operating Temp:** Between -40.0 degrees celsius and 85.0 degrees celsius Capacitance Range In Picofarads: +10.0/+40.0 single section **Nonderated Voltage Rating And Type:** 175.0 ac rms single section or 250.0 dc continuous single section **Adjustment Device Drive Type And Quantity:** 1 slotted screw Material: Ceramic capacitive electrode **Terminal Type And Quantity:** 3 pin Shelf Life: N/a **Unit Of Measure: Demilitarization:**

Deminitariza

No

NSN 5910-01-132-3121

Ceramic Dielectric Variable Capacitor - Page 2 of 2



Fiig:

A096a0