Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-132-3223

# Body Style:

W/o mtg facilities terminal (s) on one surface

**Reliability Indicator:** 

Not established

Terminal Length:

1.300 inches

Body Length:

0.630 inches

**Body Width:** 

0.630 inches

**Body Height:** 

0.355 inches

#### Center To Center Distance Between Terminals Parallel To Length:

Between 0.414 inches and 0.492 inches

#### **Terminal Diameter:**

0.032 inches

#### Schematic Diagram Designator:

No common or grounded electrode (s)

#### Internal Electrical Connection Type:

Extended foil

### Capacitance Value Per Section:

0.150 microfarads single section

### Nonderated Operating Temp:

Between -40.0 degrees celsius and 85.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

100.0 dc single section

### **Tolerance Range Per Section:**

-10.00/+10.00 percent single section

#### **Case Material:**

Plastic

### Insulation Resistance At Reference Temp:

25000.0 megohm-microfarads

### **Dissipation Factor At Reference Tempurature In Percent:**

1.000

### **Terminal Surface Treatment:**

Solder

## **Dielectric Material:**

Plastic

### **Terminal Type And Quantity:**

2 uninsulated wire lead

#### Shelf Life:

N/a

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A010b0