# NSN 5910-01-137-4561

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-137-4561

### **Body Style:**

W/o mtg facilities, axial terminalsw/o mtg facilities, axial terminalsw/o mtg facilities, axial terminals

### **Reliability Indicator:**

Not establishednot establishednot established

### **Terminal Length:**

0.375 inches 0.375 inches 0.375 inches

#### **Body Diameter:**

0.875 inches

#### **Body Length:**

0.844 inches

#### Schematic Diagram Designator:

Feedthrough

#### Anode Type:

Solid

#### Impedance At Minimum Operating Tempurature In Ohms:

200.0

#### **Electrical Polarization:**

Polarized

#### **Capacitance Value Per Section:**

12.000 microfarads single section

### Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

### Nonderated Continuous Voltage Rating And Type Per Section:

180.0 dc single section

#### **Tolerance Range Per Section:**

-15.00/+75.00 percent single section

#### **Case Material:**

Metal

#### **Capacitive Electrode Material:**

Tantalum

#### Equivalent Series Resistance At Reference Tempurature In Ohms:

5.60

# **Terminal Surface Treatment:**

Solder

# Case Insulation Material:

Plastic

# Terminal Type And Quantity:

1 ferrule and 1 tab, solder lug

Shelf Life:

N/a

## Unit Of Measure:

---

# NSN 5910-01-137-4561

Electrolytic Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0