

View Online at <https://aerobasegroup.com/nsn/5910-01-137-6074>

Body Style:

W/thd mtg hole/stud, terminal (s) on one end

Reliability Indicator:

Not established

Body Diameter:

Between 1.470 inches and 1.530 inches

Body Length:

Between 3.820 inches and 3.940 inches

Continuous Current Rating In Amps:

20.0

Terminal Diameter:

0.625 inches

Terminal Height From Body:

1.090 inches

Schematic Diagram Designator:

Electrod (s) grounded to case, w/gnd terminal

Internal Electrical Connection Type:

Extended foil

Mounting Facility Screw Thread Series Designator:

Unef

Mounting Facility Type And Quantity:

2 threaded mounting studs

Features Provided:

Hermetically sealed case and mounting hardware

Insulation Resistance At Maximum Operating Temp:

20.0 megohm-microfarads

Capacitance Value Per Section:

1.800 microfarads single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

Thread Size:

0.625 inches

Nonderated Continuous Voltage Rating And Type Per Section:

250.0 ac-rms single section

Tolerance Range Per Section:

-20.00 to 40.00 percent single section

Thread Tolerance Class:

2a external

Case Material:

Metal

Insulation Resistance At Reference Temp:

2000.0 megohm-microfarads

Terminal Surface Treatment:

Solder

Case Insulation Material:

Plastic

Terminal Type And Quantity:

2 standoff, threaded stud

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0