## NSN 5910-01-139-3007

**Body Style:** 

2 uninsulated wire lead

Electrolytic Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-139-3007

W/o mtg facilities, terminal (s) on one endw/o mtg facilities, terminal(s) on one end					
Reliability Indicator:					
Not establishednot established					
Terminal Length:					
0.375 inches					
Body Diameter:					
1.010 inches					
Body Length:					
1.140 inches					
Center To Center Distance Between Terminals Parallel To Diameter:					
0.400 inches					
Terminal Diameter:					
0.032 inches					
Schematic Diagram Designator:					
Electrod (s) grounded to case, w/gnd terminal					
Anode Type:					
Plain foil					
Impedance At Minimum Operating Tempurature In Ohms:					
3.0					
Electrical Polarization:					
Polarized					
Capacitance Value Per Section:					
3300.000 microfarads single section					
Nonderated Operating Temp:					
Between -55.0 degrees celsius and 105.0 degrees celsius					
Nonderated Continuous Voltage Rating And Type Per Section:					
6.3 dc single section					
Tolerance Range Per Section:					
-10.00/+100.00 percent single section					
Case Material:					
Metal					
Capacitive Electrode Material:					
Aluminum					
Equivalent Series Resistance At Reference Tempurature In Ohms:					
19.80					
Terminal Surface Treatment:					
Solder					
Case Insulation Material:					
Plastic					
Terminal Type And Quantity:					

## NSN 5910-01-139-3007

Electrolytic Fixed Capacitor - Page 2 of 2



		fe:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0