Plastic Dielectric Fixed Capacitor - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5910-01-146-2888

# **Body Style:**

W/o mtg facilities, terminals on opposite surfaces

**Reliability Indicator:** 

Not established

Terminal Length:

1.250 inches

**Body Length:** 

0.500 inches

**Body Width:** 

0.195 inches

**Body Height:** 

0.375 inches

**Terminal Diameter:** 

0.025 inches

Schematic Diagram Designator:

No common or grounded electrode (s)

#### Capacitance Value Per Section:

5100.000 picofarads single section

# Nonderated Operating Temp:

Between -55.0 degrees celsius and 85.0 degrees celsius

## Tempurature Coefficient Of Capacitance Per Section In Ppm Per Deg Celsius:

-200.0 single section

# Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

## Tolerance Of Tempurature Coefficient Per Section In Ppm Per Deg Celsius:

-30.0/+30.0 single section

### **Tolerance Range Per Section:**

-1.00/+1.00 percent single section

# Case Material:

Plastic

### Insulation Resistance At Reference Temp:

1000000.0 megohms

## **Dissipation Factor At Reference Tempurature In Percent:**

0.1500

### **Terminal Surface Treatment:**

Solder

## **Terminal Type And Quantity:**

2 uninsulated wire lead

Shelf Life:

N/a

#### Unit Of Measure:

---

Plastic Dielectric Fixed Capacitor - Page 2 of 2



Demilitarization:

No

Fiig:

A010b0