

View Online at <https://aerobasegroup.com/nsn/5910-01-148-4855>

Body Style:

W/o mtg facilities, axial terminals

Reliability Indicator:

Not established

Terminal Length:

0.165 inches

Body Diameter:

Between 0.146 inches and 0.166 inches

Body Length:

0.160 inches

Terminal Diameter:

0.030 inches

Schematic Diagram Designator:

Feedthrough

End Application:

Sru-b apx-101 e/i fscm 45413

Features Provided:

Hermetically sealed case

Capacitance Value Per Section:

33000.000 picofarads single section

Voltage Temperature Limits Per Section In Percent Capacitance Change:

-20.0/+20.0 without voltage applied single section

Nonderated Operating Temp:

Between -55.0 degrees celsius and 125.0 degrees celsius

Nonderated Continuous Voltage Rating And Type Per Section:

50.0 dc single section

Tolerance Range Per Section:

-20.00/+20.00 percent single section

Case Material:

Metal

Insulation Resistance At Reference Temp:

50000.0 megohms

Dissipation Factor At Reference Temperature In Percent:

3.0000

Terminal Surface Treatment:

Gold

Precious Material And Location:

Terminal and body surfaces gold

Terminal Type And Quantity:

2 uninsulated wire lead

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A010b0